*J. Bryol.* (1981) 11, 875–882

# INDEX

(An asterisk indicates a new name or combination)

*Acrolophozia fuegiana* Schust., 107
**A. sulcata* Hässel, sp. nov., 108
*Adelanthus decipiens*, 362
African hepatics, 311, 330, 331, 335, 459, 521
African hepatics, XXXII, Some little-known species and extensions of range, E. W. Jones, 311
African mosses, 49, 219, 335, 521, 695
*Aloina ambigua* (Bruch *et al*) Limpr., 526
*A rigida* (Hedw.) Limpr., 526
**Amblystegium humile* (P. Beauv.) Crundw., comb. nov., 603
**A. jungermannioides* (Brid.) A. J. E. Smith, comb. nov., 605
*A. serpens* (Hedw.) B., S. & G., protonemal gemmae, 719
American hepatics, 105, 311, 325, 327, 328, 329, 411, 463
American mosses, 253
*Anacolia sinensis*, Broth., chromosomes, 344
*Anastrepta orcadensis*, 359
*Anastrophyllum donianum*, 360
*A. joergensenii*, 360
Anderson, L. E., *see* Crum, H. A.
Ando, H. and Townsend, C. C., *Hypnum uncinatulum Jur.* reinstated as an Irish species, 185
*Andreaea nivalis*, 360
*A. rothii*, 356
*Anoectangium angustifolium* Mitt., 529
**A. taeniatifolium* (Herz.) M. O. Hill, comb. nov., 600
*Anomobryum filiforme* (Dicks.) Solms, 532
*Anomodon fragillimus* Herz., 258
*A. perarmatus* Williams, 258
*A. viticulosus*, 353
*A. wrightii* C. Müll., 259
*Anthoceros fuciformis* Mont., 311
*Aphanolejeunea microscopica*, 363
*Archilejeunea apiculifolia* St. from India, Observations on, R. Udar and U. S. Awasthi, 709
Asiatic hepatics, 332, 451, 709
Asiatic mosses, 11, 245, 249, 343, 489, 560, 691
Australasian hepatics, 326
Australasian mosses, 17, 33, 43, 99, 231, 491, 701, 719, 723, 844
**Austrolembidium crassum* Hässel, gen. et sp. nov., 111
Awasthi, U. S., *see* Udar, R.
*Barbilophozia floerkei* (Web & Mohr) Loeske, photosynthetic products, 161
*Barbula hornschuchiana* Schultz, 527
*B. inaequalifolia* Tayl., 527
*B. revoluta* Brid., 527
*B. rigidula* (Hedw.) Mitt., 528
**B. tomaculosa*, a new species from arable fields in Yorkshire, T. L. Blockeel, 583
*B. trifaria* (Hedw.) Mitt., protonemal gemmae, 136
*Bartramia hallerana* Hedw., chromosomes, 345
*B. pomiformis* Hedw., 533
*B. subpellucida* Mitt., chromosomes, 345
*Bartramidula bartramioides* (Griff.) Wijk & Marg., chromosomes, 346
*Bazzania papillosa* S. Arnell, 312
*B. tricrenata* (Wahlbg.) Trev., photosynthetic products, 161
*B. trilobata*, 360
Birks, H. J. B.:
Reviews of *Index to distribution maps of bryophytes 1887–1975*, I, *Musci* and II, *Hepaticae* by A. Sjödin, 373, 564
Review of *The moss flora of Britain and Ireland* by A. J. E. Smith, 564
Blockeel, T. L., *Barbula tomaculosa*, a new species from arable fields in Yorkshire, 583
*Brachiolejeunea laxifolia* (Tayl.) Schiffn., paraphyllia, 463
**Brachythecium appleyardiae* sp. nov. in south-west England, S. V. McAdam and A. J. E. Smith, 591
**Bryoerythrophyllum lusitanicum* (Card. & Dix.) M. O. Hill, comb. nov., 600
**B. machadoanum* (Sérgio) M. O. Hill, comb. nov., 601
Bryophyte recording in Britain and Ireland, Situation map of, A. J. E. Smith, 169
*Bryum alpinum*, 356
*B. argenteum* Hedw., Inter-population variation in morphology and physiology in the cosmopolitan moss, R. E. Longton, 501
*B. dunense* Sm. & Whiteh., 532
*B. nitens* Hook. (*B. cruegeri* Hampe), Observations on the taxonomy and propagules of, A. Egunyomi, 129
*B. pseudotriquetrum* (Hedw.) Gaertn. *et al.*, 532
*B. pyriferum* Crundw. & Whiteh., 532

*B. ruderale* Crundw. & Nyholm, 532; in the Cyclades, C. C. Townsend, 367
*B. sauteri* Bry. Eur., 532
*Buxbaumia aphylla* Hedw., spores, 744
*B. indusiata* Brid., spores, 744

*Calycularia crispula* Mitt., 325
Calymperaceae, A revision of West Tropical African, I, Introduction and *Calymperes*, S. R. Edwards, 49
*Calymperes*, Spore discharge in, S. R. Edwards, 95
*C. afzelii* Sw., 67, 96
*C. erosum* C. Müll., 72, 96
*C. lonchophyllum* Schwaegr., 85; *subsp. *microblastum* (C. Müll.) S. Edwards, comb. nov., 88; *subsp. *Saxatile* (C. Müll.) S. Edwards comb. nov., 89
*C. palisotii* Schwaegr., 77; *subsp. *richardii* (C. Müll.) S. Edwards, comb. nov., 81
*C. rabenhorstii* Hampe & C. Müll., 62
*C. tenerum* C. Müll. var. *edamense* Fleisch., 82
**Calyptrochaeta apiculata* (Hook. f. & Wils.) A. J. E. Smith, comb. nov., 605
*Campylopus*, Taxonomische Notizen zur Gattung, IX, j. -P. Frahm, 213
*C. flexicaulis* Card. & Thér., 214
*C. guadelupensis* (Brid.) Mitt., 213
*C. jamesonii* (Hook.) Jaeg., 216
*C. mildei* Limpr., 215
*C. oerstedianus* (C. Müll.) Mit., 215
*C. paradoxus* Wils., 335
*C. parvipulvinatus* C. Müll., 214
*C. procerus* (C. Müll.) Kindb., 216
*C. sprucei* Mitt., 213
*C. tablasensis* Thér., 215
*C. thysanomitrioides* Thér., 214
Canary Islands, New records of bryophytes from, D. G. Long, A. C. Crundwell and C. C. Townsend, 521
Castaldo, R., Giordano, S. and Ligrone, R., Scanning electron microscope characterization of spores of European Buxbaumiaceae, 743
Catcheside, D. G., *Mosses of South Australia*, review, 847
Catcheside, D. G. and Stone, I. G., The peristome of *Ischryodon lepturus* (Tayl.) Schelpe, 99
*Cephaloziella calyculata* (Durieu & Mont.) K. Müll., 522
*Cheilothela chloropus* (Brid.) Broth., 523
*Cladocolea* Schust., 105
Clarke, G. C. S., Recent bryological literature 171, 377, 567, 857
Clarke, G. C. S. and Duckett, J. G., *Bryophyte systematics*, review, 369
Clayton-Greene, K. A., *see* Green, T. G. A.
*Colura calyptrifolia*, 363
**Concardia* (Robins.) A. J. E. Smith, subgen. nov., 606
*Conostomum tetragonum*, 360
Corley, M. F. V.:
Correction to *Kiaeria* key, 367
New combinations in British hepatics, 843
The *Fissidens viridulus* complex in the British Isles and Europe, 191
Corley, M. F. V., Crundwell, A. C., Düll, R, Hill, M. O. and Smith, A. J. E., Mosses of Europe and the Azores, an annotated list of species, with synonyms from the recent literature, 609
*Cratoneuropsis relaxa* (Hook. f. et Wils.) Fleisch., 844
*Crossidium crassinerve* (De Not.) Jur., 526
*C. squamiferum* (Viv.) Jur., 527
Crum, H. A. and Anderson, L. E., *Mosses of Eastern North America*, review, 848
Crundwell, A. C.:
New combinations in European mosses, II, *Gymnostomum* and *Amthystegium*, 603
Reproduction in *Myurium hochstetteri*, 715
Review of Mosses of *South Australia* by D. G. Catcheside, 847
Review of *S. O. Lindberg's bryological reports in Finnish newspapers* by P. Isoviita, 852
Crundwell, A. C. and Nyholm, E., obituary of Herman Persson, 375
Crundwell, A. C., *see also* Corley, M. F. V. and Long, D. G.
Cytological observations on some West Himalayan mosses, V, S. K. Verma and S. S. Kumar, 343

*Dawsonia superba* Grev., Studies on, II, Growth rate, T. G. A. Green and K. A. Clayton-Greene, 723
*Desmatodon bogosicus* C. Müll., 526
Dickson, J. H., Mosses from a Roman well at Abingdon, 559
*Dicranella howei* Ren. & Card., 523
*Dicranum majus*, polysety, 337
*D. scoparium*, 337
*D. starkei*, 360
**Didymodon ferrungineus* (Schimp. ex Besch.) M. O. Hill, comb. nov., 599
**D. insulanus* (De Not.) M. O. Hill, comb. nov., 599
**D. mamillosus* (Crundw.) M. O. Hill, comb. nov., 599
**D. maximus* (Syed & Crundw.) M. O. Hill, comb. nov., 599
**D. tomaculosus* (Blockeel) Corley, comb. nov., 649
*Diphyscium* Mohr (Bryopsida: Diphysci-

aceae), A review of the genus, in Malaya, M. G. Manuel, 245
**D. malayense* Manuel, sp. nov., 246
*Ditrichum brachycarpum*, *D. calcareum* and *D. subbrachycarpum* in Australia, R. D. Seppelt, 43
*D. calcareum* Broth., 43
*D. difficile*, A study of, with special reference to Australian material, R. D. Seppelt, 33
*D. subbrachycarpum* (C. Müll.) Par., 43
*Drepanolejeunea hamatifolia*, 362
Duckett, J. G., *see* Clarke, G. C. S.
Duell-Hermanns, I., Spezielle Untersuchungen zur modernen Taxonomie von *Thuidium abietinum* und der Varietat *hystricosum*, 467
Düll, R., *Die Moose (Bryophyta) des Reinlandes (Nordrein-West falen, Bundesrepublik Deutschland)*, review, 563
Düll, R., *see also* Corley, M. F. V.

Edwards, S. R.:
A revision of West Tropical African Calymperaceae I, Introduction and *Calymperes*, 49
Spore discharge in *Calymperers*, 95
Egunyomi, A., Observations on the taxonomy and propagules of *Bryum nitens* Hook. (*B. cruegeri* Hampe), 129
*Encalypta brevicolla* (B. S. G.) Bruch ex Aongstr., 209
*E. brevipes* and *E. brevicolla*: new records from North America, Iceland, Great Britain and Europe, D. G. Horton, 209
*Entodon*, Two new species of, in China, R. -L. Hu and Y. -F. Wang, 249
**E. kungshanensis* Hu, sp. nov., 249
**E. pylaisioides* Hu & Wang, sp. nov., 249
**Ephemerum perminutum* C. C. Townsend, sp. nov., 697
*Eucladium verticillatum* (Brid.) Br. Eur. 529; protonemal gemmae, 134
*Eurhynchium speciosum* (Brid.) Jur. from Turkey, The identity of a gathering of, S. V. McAdam, 560
*E. swartzii* (Turn.) Curn., 534, 561

*Fabronia australis* Hook., peristome, 101
*F. pusilla* Raddi, 533
*Fimbriaria nana* Lindenb., 325
*Fissidens bambergeri* Schimp. ex Milde, 203
*F. bryoides* Hedw., 197
*F. cristatus* Wils., 523
*F. exiguus* Sull., 202
*F. haraldii* (Lindb.) Limpr., 204
*F. herzogii* Ruthe ex Herz., 200
*F. incurvus* Starke ex Röhl., 197
*F. intralimbatus* Ruthe, 203
*F. kosaninii* Latz., 202
*F. limbatus* Sull., 200
*F. minutulus* Sull., 200
*F. ovatifolius* Ruthe, 201, 523
*F. pusillus* (Wils.) Milde, 199
*F. tarnarindifolius* (Turn.) Brid., 204
*F. viridulus* complex, The, in the British Isles and Europe, M. F. V. Corley, 191
Fossombroniaceae, 326
Frahm, J. -P., Taxonomische Notizen zur Gattung *Campylopus* IX, 213
*Funaria pulchella* Philib., 531
Furness, S. B. and Gilbert, O. L., The status of *Thamnobryum angustifolium* (Holt) Crundw., 139
Furness, S. B. and Hall, R. H., An explanation of the intermittent occurrence of *Physcomitrium sphaericum* (Hedw.) Brid., 733

Gadsden, M., *see* Suleiman, A. A. A
Gardiner, J. C., A bryophyte flora of Surrey, 747
Gier, L. J., A preliminary study of the Thuidiaceae of Latin America, 253
Gilbert, O. L., *see* Furness, S. B.
Giordano, S., *see* Castaldo, R.
*Goniomitrium* Hook & Wils. (Funariaceae), Spore morphology and some other features of, I. G. Stone, 491
Gradstein, S. R., *see* Slageren, M. v.
Greek liverworts, A check-list of, C. D. Preston, 537
Green, T. G. A. and Clayton-Greene, K. A., Studies on *Dawsonia superba* Grev., II, Growth rate, 723
**Greeneothallus gemmiparus* Hässel, gen. et sp. nov., 115
*Grimmia affinis* Hornsch., 530
*G. montana*, 356
*G. orbicularis* Bruch, 531
*G. pitardii* Corb., 531
*G. torquata* Hornsch., 531
Grolle, R.:
Miscellanea hepaticologica 201–210, 325
**Schusterolejeunea* Grolle *nom. nov.* statt *Cladocolea* Schust. 1963, *non* van Tieghem 1895, 105
*Gymnostomiella vernicosa* (Hook.) Fleisch., chromosomes, 344
**Gymnostomum luisieri* (Sérgio) Sérgio ex Crundw., comb. nov., 603
*Gyroweisia reflexa* (Brid.) Schimp., 529
*G. tenuis* (Hedw.) Schimp., protonemal gemmae, 133

Hall, R. H., *see* Furness, S. B.
Hallingbäck, T., Some noteworthy bryophytes from Tenerife, 335

*Haplocladium virginianum* (Brid.) Broth., 261
Hässel de Menendez, G. G., Liverworts new to South Georgia, II, 107
Hemispherical photographs, Estimates from, of the radiation climates of some bryophyte habitats in the British Isles, M. C. F. Proctor, 351
*Herberta adunca*, 359
**Herzogobryum aterrimum* (Steph.) Grolle, comb. nov., 326
Hill, M. O.:
New combinations in European mosses I, Pottiaceae, 599
Review of *Die Moose (Bryophyta) des Rheinlandes (Nordrhein-Westfalen, Bundesrepublik Deutschland)* by R. Düll, 563
Review of *Mosses of Eastern North America* by H. A. Crum and L. E. Anderson, 848
*Seligeria brevifolia* (Lindb.) Lindb. on Snowdon, newly recorded in the British Isles, 7
Hill, M. O., *see also* Corley, M. F. V.
*Hookeria lucens*, 359
Horton, D. G., *Encalypta brevipes* and *E. brevicolla*, new records from North America, Iceland, Great Britain and Europe, 209
Hu, R. -L. and Wang, Y. -F., Two new species of *Entodon* in China, 249
Hughes, J. G., The relation between the occurrence of polysety and the number of archegonia in female inflorescences of *Dicranum majus* and *D. scoparium*, 337
**Hypnum andoi* A. J. E. Smith, nom. nov., 606
*H. uncinatulum* Jur. reinstated as an Irish species, H. Ando and C. C. Townsend, 185

*Ischyrodon lepturus* (Tayl.) Schelpe, The peristome of, D. G. Catcheside and I. G. Stone, 99
*I. seriolus* (C. Müll.) C. Müll., peristome, 100
*Isotachis conistipula* steph., 312
Isoviita, P., *S. O. Lindberg's bryological reports in Finnish newspapers*, review, 852

Johnson, A., *Mosses of Singapore and Malaysia*, review, 371
Jones, E. W.:
African hepatics, XXXII, Some little-know species and extensions of range, 311
The sporelings of *Lejeunea caespitosa* Lindenb., 459
*Jungermannia renauldii* Steph., 313
**Juratzkaea incisa* (Buck) Catchside & Stone, stat. nov., 103
*J. seminervis* (Schwaegr.) Lor., peristome, 101

*Kiaeria* key, Correction to, M. F. V. Corley, 367
*Kormickia* Steph., 327
Krzakowa, M., Evolution and speciation in *Pellia* with special reference to the *Pellia megaspora-endiviifolia* complex (Metzgeriales), IV, Isozyme investigations, 447
Kumar, S. S., *see* Verma, S. R.

*Lejeunea caespitosa* Lindenb., The sporelings of E. W. Jones, 459
*L. hibernica* Bischler *et al.*, 522
Lejeuneaceae subfam. Ptychanthoideae, Studies on VII, Paraphyllia in *Brachiolejeunea laxifolia* (Tayl.) Schiffn., M.v. Slageren and S. R. Gradstein, 463
*Lepidozia cupressina* (Sw.) Lindenb., 335, 522
*L. reptans* (L.) Dum., Photosynthetic products, 161
**Leptodontium paradoxum*, a new moss from Australia, I. G. Stone and G. A. M. Scott, 701
*L. viticulosoides* (P. Beauv.) Wijk & Marg., 705
**Leptoscyphus spectabilis* (Steph.) Grolle, comb. nov., 328
Leviton, A. E. *see* Taylor, R. J.
Lewinsky, J., *Orthotrichum firmum* Vent. new to India, II
Lewis, D. H., *see* Suleiman, A. A. A.
Lightowlers, P. J., Techniques for mounting fragile tissue in gum chloral solution, 843
Ligrone, R., *see* Castaldo, R.
Long, D. G., Crundwell, A. C. and Townsend, C. C. New records of bryophytes from the Canary Islands, 521
Longton, R. E.:
Inter-population variation in morphology and physiology in the cosmopolitan moss *Bryum argenteum* Hedw., 501
Review of *Plant taxonomy and biosystematics* by C. A. Stace, 564

McAdam, S. V. The identity of a gathering of *Eurhynchium speciosum* (Brid.) Jur. from Turkey, 560

McAdam, S. V. and Smith, A. J. E., *Brachythecium appleyardiae* sp. nov. in south-west England, 591
*Macrocoma lycopodioides* (Schwaegr.) Vitt, The nomenclature and taxonomy of, D. H. Vitt, 219
*M. pulchella* (Hornsch.) Vitt, 221
*M. tenue* (Hook. & Grev.) Vitt, 222
Mannitol in leafy liverworts, 162
Manuel, M. G., A review of the genus *Diphyscium* Mohr (Bryopsida: Diphysciaceae) in Malaya, 245
*Marchantia alpestris* (Nees) Burgeff, 521
*Marchesinia mackaii*, 360
**Marsupella austrogeorgica* Hässel, sp. nov., 120
**M. emarginata* (Ehrh.) Dum. var. *pearsonii* (Schiffn.) M. Corley, comb. nov., 843
**M. minutula* Hässel, sp. nov., 123
*M. sprucei* (Limpr.) H. Bern., 126
*Mastigophora woodsii*, 360
Mendelak, M., Evolution and speciation in *Pellia*, with special reference to the *Pellia megaspora-endiviifolia* complex (Metzgeriales), III, Chromosome length, 441
*Metzgeria leptoneura* Spruce, 335
Miscellanea hepaticologica 201–210, R. Grolle, 325
Mohamed, M. A. H.:
*Rhodobryum commersonii* (Schwaegr.) Par. and *R. aubertii* (Schwaegr.) Thér. in South India, 691
Sporophytes of *Rhodobryum laxelimbatum* (Ochi) Iwats. *et* Kop., 489
Mosses of Europe and the Azores, an annotated list of species, M. F. V. Corley, A. C. Crundwell, R. Düll, M. O. Hill and A. J. E. Smith, 609
Mueller, B. W. and Ruch, F., Polymorphisms in the thallus morphogenesis of *Sphaerocarpos donnellii* Aust. as a result of different substrate combinations, 555
*Mylia taylorii* (Hook.) S. F. Gray, photosynthetic products, 161
*Myurium hochstetteri* (Schimp.) Kindb., 533, reproduction in, A. C. Crundwell, 715

*Nardia scalaris* (Schrad.) S. F. Gray, photosynthetic products, 161
*Neckera laeviuscula* Geheeb, 336
New combinations in British hepatics, M. F. V. Corley, 843
New combinations in European mosses, I, Pottiaceae, M. O. Hill, 599; II, *Gymnostomum* and *Ambylystegium*, A. C. Crundwell, 603; III, Pleurocarpous species, A. J. E. Smith, 605
Newton, M. E. Evolution and Speciation in *Pellia*, with special reference to the *Pellia megaspora-endiviifolia* complex (Metzgeriales), II, Cytology, 433
*Notoscyphus belangerianus* (Lehm.) Mitt., 313
**Notothylas himalayensis* Udar et Singh, sp. nov., 451
Nyholm, E., *see* Crundwell, A. C.

*Orthodontium pellucens* (Hook.) Bruch & Schimp., 531
*Orthothecium rufescens*, 359
*Orthotrichum firmum* Vent. new to India, J. Lewinsky, II
*O. pumilum* Bruch ex Brid., 553
*O. striatum* Hedw., 533

Paraphyllia in *Brachiolejeunea laxifolia*, 463
Paton, J. A.:
Observations on *Riccia bifurca* Hoffm. and other species of Riccia L. in the British Isles, I
*Scapania lingulata* Buch in the British Isles, 399
*S. paludicola* Loeske & K. Müll. discovered in the British Isles, 405
*S. praetervisa* Meyl., not *S. mucronata* Buch in Britain, 409
*Pellia*, Evolution and speciation in, with special reference to the *Pellia megaspora-endiviifolia* complex (Metzgeriales), I, Taxonomy and distribution, R. M. Schuster, 411; II, Cytology, M. E. Newton, 433; III, Chromosome length, M. Mendelak, 441; IV, Isozyme investigations, 447
**P. megaspora* Schust., sp. nov., 419
Persson, Herman, obituary, 375
*Phasconica balansae* C. Müll., 237
**Phascopsis rubicunda*, a new genus and species of Pottiaceae (Musci) from Australia, I. G. Stone, 17
*Phascum cuspidatum* Hedw., 527
*Philonotis angustata* Mitt., chromosomes, 346
*P. calcarea* (B. S. G.) Limpr., Chromosomes, 346
*P. falcata* (Hook.) Mitt., chromosomes, 346
*P. revoluta* Bosch. & Lac., chromosomes, 347
*P. turnerana* (Schwaegr.) Mitt., chromosomes, 347
Photosynthetic products in leafy liverworts and their taxonomie significance, A. A. A. Suleiman *et al.*, 161
*Physcomitrium cyathicarpum* Mitt., chromosomes, 343
*P. repandum* (Griff.) Mitt., Chromosomes, 343

*P. sphaericum* (Hedw.) Brid., An explanation of the intermittent occurrence of, S. B. Furness and R. H. Hall, 733
*Plagiochila boryana* Gottsche ex Steph., 313
*P. carringtonii*, 360
*P. drepanophylla* Sande Lacoste, 315
*P. spinulosa* (Dicks.) Dum., 362; photosynthetic products, 161
*Pleuroclada albescens*, 360
*Pogonatum*, regeneration in, 145
*Pohlia delicatula* (Hedw.) Grout, 532
Polysety, The relation between the occurrence of, and the number of archegonia in female inflorescenes of *Dicranum majus* and *D. scoparium* J. G. Hughes, 337
*Polytrichum*, regeneration in, 145
*P. norvegicum*, 360
*P. piliferum*, 356
*Porella arboris-vitae* (With.) Grolle var. **killarniensis* (Pears.) M. Corley, comb. nov., 843; var. **obscura* (Nees) M. Corley, comb. nov., 843
*P. platyphylla* (L.) Lindb., photosynthetic products, 161
*Pottia crinita* Wils. ex Bry. Eur., 527
*P. starkeana* (Hedw.) C. Müll., 527
*Preissia barbara* Herz., 329
*P. cucullata* Nees & Mont., 329
*P. mexicana* Steph., 329
Preston, C. D., A. check-list of Greek liverworts, 537
Proctor, M. C. F., Estimates from hemispherical photographs of the radiation climates of some bryophyte habitats in the British Isles, 351
Protonemal gemmae on *Amblystegium serpens* (Hedw.) B., S. & G. from Macquarie Island, P. M. Selkirk, 719
Protonemal gemmae, The production of, by mosses growing in deep shade, H. L. K. Whitehouse, 133

*Racomitrium lanuginosum* (Hedw.) Brid., 531
*Radula holtii* Spruce, 335
*R. macroloba* Steph., 317
*R. wichurae* Steph., 335
*Rauiella bornii* (Herz.) Hermann, 263
Recent bryological literature 53–56, G. C. S. Clarke, 171, 377, 567, 857
Regeneration from leaves, A study of, in some species of *Pogonatum* and *Polytrichum*, C. M. Wilmot-Dear, 145
*Rhabdoweisia fugax* (Hedw.) B., S. & G., 523
*Rhamphidium purpuratum* Mitt., 529
*Rhodobryum aubertii* (Schwaegr.) Thér., 691
*R. commersonii* (Schwaegr.) Par. and *R. aubertii* (Schwaegr.) Thér. In South India, M. A. H. Mohamed, 691
*R. laxe-limbatum* (Ochi) Iwats. *et* Kop., Sporophytes of, M. A. H. Mohamed, 489
*R. madurense* Dix. & P. Varde, 691
**Rhynchostegium alopecuroides* (Brid.) A. J. E. Smith, comb. nov., 606
*Rhytidiadelphus triquetrus*, 355
*Riccardia longispica* (Steph.) E. W. Jones, 317
*R. stephanii* (Besch.) E. W. Jones, 317
*Riccia bifurca* Hoffm. and other species of *Riccia* L. in the British Isles, Observations on, J. A. Paton, 1
*R. ciliata* Hoffm., 4
*R. crozalsii* Levier, 3
*R. crustata* Trab., 330
*R. glauca* L., 522
*R. michelii* Raddi, 4
*R. warnstorfii* Limpr., 522
Roman well, Mosses from a, at Abingdon, J. H. Dickson, 559
Ruch, F., *see* Mueller, B. W.

*Saccogyna viticulosa* (L.) Dum., photosynthetic products, 161
*Scapania gracilis*, 362
*S. lingulata* Buch in the British Isles, J. A. Paton, 399
*S. paludicola* Loeske & K. Müll. discovered in the British Isles, J. A. Paton, 405
*S. praetervisa* Meyl., not *S. mucronata* Buch in Britain, J. A. Paton, 409
*S. undulata* (L.) Dum., photosynthetic products, 161
Schuster, R. M., Evolution and speciation in *Pellia*, with special reference to the *Pellia megaspora-endiviifolia* complex (Metzgeriales), I, Taxonomy and distribution, 411
**Schusterolejeunea* Grolle nom. nov. statt *Cladocolea* Schust. 1963, *non* van Tieghem 1895, R. Grolle, 105
**S. inundata* (Spruce) Grolle, comb. nov., 105
*Sciaromium elimbatum* Broth. et Watts and *S. forsythii* Broth. reduced to synonymy in *Cratoneuropsis relaxa* (Hook. f. et Wils.) Fleisch. in Broth., I. G. Stone, 844
Scott, G. A. M., *see* Stone, I. G.
*Scouleria aquatica*, dehiscence, 96
Sedoheptulose in leafy liverworts, 162
*Seligeria brevifolia* (Lindb.) Lindb. on Snowdon, newly recorded in the British Isles, M. O. Hill, 7
Selkirk, P. M., Protonemal gemmae on *Amblystegium serpens* (Hedw.) B., S. & G. from Macquarie Island, 719
Seppelt, R. D.:
A study of *Ditrichum difficile* with

special reference to Australian material, 33
*Ditrichum brachycarpum, D. Calcareum* and *D. Subbrachycarpum* in Australia, 43
Singh, D. K., *see* Udar, R.
Sjödin, A., *Index to distribution maps of bryophytes 1887–1975*, I, *Musci* and II, *Hepaticae*, reviews, 330, 564
Slageren, M.v. and Gradstein, S. R., Studies in Lejeuneaceae subfam. Ptychanthoideae, VII, Paraphyllia in *Brachiolejeunea laxifolia* (Tayl.) Schiffn., 463
Smith, A. J. E.:
New combinations in European mosses, III, Pleurocarpous species, 605
Situation map of bryophyte recording in Britain and Ireland, 169
*The moss flora of Britain and Ireland*, review, 564
Smith, A. J. E. *see also* Corley, M. F. V. and McAdam, S. V.
Sorbitol in leafy liverworts, 162
South Georgia, Liverworts new to, II, G. G. Hässel de Menendez, 107
*Southbya nigrella* (De Not.) Henriques, 552
*Sphaerocarpos donnellii* Aust., Polymorphism in the thallus morphogenesis of, as a result of different substrate combinations, B. W. Mueller and F. Ruch, 555
Spores of European Buxbaumiaceae, Scanning electron microscope character ization of, R. Castaldo, S. Giordana and R. Ligrone, 743
Stace, C. A., *Plant taxonomy and biosystematics*, review, 564
Stone, I. G.:
*Phascopsis rubicundis*, a new genus and species of Pottiaceae (Musci) from Australia, 17
*Sciaromium elimbatum* Broth. et Watts and *S. forsythii* Broth. reduced to synonymy in *Cratoneuropsis relaxa* (Hook. f. et Wils.) Fleisch. in Broth., 844
Spore morphology and some other features of *Goniomitrium* Hook. & Wils. (Funariaceae), 491
*Weissia* subgenus *Astomum* in Australia and some comments on the affinity of *Viridivellus*, 231
Stone, I. G. and Scott, G. A. M., *Leptodontium paradoxum*, a new moss from Australia, 701
Stone, I. G., *see also* Catcheside, D. G.
Suleiman, A. A. A. Gadsden, M., Sutcliffe, T. P. and Lewis, D. H., Photosynthetic products in leafy liverworts and their taxonomic significance, 161
Surrey, A. bryophyte flora of, J. C. Gardiner, 747
Sutcliffe, T. P., *see* Suleimann, A. A. A.

Tanzania, Two new mosses from, C. C. Townsend, 695
*Targionia hypophylla*, 356
Taylor, R. J. and Leviton, A. E., *The mosses of North America*, review, 853
Techniques for mounting fragile tissue in gum chloral solution, P. J. Lightowlers, 843
*Telaranea nematodes* (Gott. ex Aust.) Howe, 335
Tenerife, some noteworthy bryophytes from, T. Hallingbäck, 335
*Thamnobryum angustifolium* (Holt) Crundw., The status of, S. B. Furness and O. L. Gilbert, 139
**T. cossyrense* (Bott.) A. J. E. Smith, comb. nov., 605
Thuidiaceae (Musci) of Latin America, A preliminary study of the, L. J. Gier, 253
*Thuidiopsis chilensis* (Mitt.) Broth., 265
*Thuidium abietinum* und der Varietat *hystricosum*, Spezielle Untersuchungen zur modernen Taxonomie von, 1. Duell-Hermanns, 467
*T. antillarum* Besch., 268
*T. arzobispoae* (C. Müll.) Jaeg., 287
*T. brachypyxis* C. Müll., 287
*T. brachythecium* (Hampe & Lor.) Jaeg., 288
*T. brasiliense* Mitt., 268
*T. breviacuminatum* Herz., 270
*T. campanulatum* Mitt., 288
*T. carantae* (C. Müll.) Jaeg., 271
*T. ciliatum* Mitt., 290
*T. complanum* Mitt., 290
*T. costaricense* Broth. & Thér, 290
*T. cylindraceum* Mitt., 291
*T. cylindrella* C. Müll., 291
*T. erectum* Duby, 272
*T. espinosae* Herz., 291
*T. frontinoae* (C. Müll.) Jaeg., 292
*T. glaucescens* Schimp. ex Besch., 293
*T. granulatum* (Hampe) Jaeg., 293
*T. inconspicuum* Herz., 294
*T. intermedium* Mitt., 294
*T. latopulvinatum* Herz., 295
*T. leptocladum* (Tayl.) Mitt., 295
*T. ligulifolium* Herz., 296
*T. mattagrossense* Broth., 274
*T. mexicanum* Mitt., 296
*T. minutulum* (Hedw.) Br. eur., 296, 336
*T. occultirete* C. Müll., 297
*T. ochraceum* Herz., 297
*T. paraguense* Besch., 297
*T. pellucens* Ren. & Card., 298
*T. peruvianum* Mitt., 274

*T. philibertii* Limpr., 276
*T. poeppigii* C. Müll., 299
*T. pseudo-delicatulum* Jaeg., 277
*T. pseudo-protensum* (C. Müll) Mitt., 279
*T. pulvinatulum* C. Müll., 299
*T. purpureum* (Geh. & Hampe) Par., 299
*T. pusillum* Mitt., 300
*T. raphidostegum* (C. Müll.) Mitt., 300
*T. recognitum* (Hedw.) Lindb., 279
*T. robustum* Card., 280
*T. scabrosulum* Mitt., 300
*T. schiedeanum* (C. Müll.) Mitt., 300
*T. schistocalyx* (C. Müll.) Mitt., 301
*T. serricolum* (C. Müll.) Par., 301
*T. siphotheca* (C. Müll.) Jaeg., 302
*T. subinvolvens* C. Müll., 302
*T. subpinnatum* Broth., 303
*T. subtamariscinum* (Hampe) Broth., 281
*T. tomentosum* Besch., 282
*T. urceolatum* Lor., 282
*T. verrucipes* C. Müll., 303
*T. yungarum* Herz., 304
*Timmiella flexiseta* (Bruch) Limpr., 530
*Tortula ampliretis* Crundw. & Long, 525
*T. fragilis* Tayl., 523
*T. inermis* (Brid.) Mont., 524
*T. laevipila* (Brid.) Schwaegr., 524
*T. marginata* (Bruch *et al.*) Spruce, 525
*T. pagorum* (Milde) De Not., 524
*T. Princeps* De Not., 524
*T. revolvens* (Schimp.) Roth, 525
*T. rhizophylla* (Sak.) Iwats. & Saito, 526
Townsend, C. C.:
*Bryum ruderale* Crundw. & Nyholm in the Cyclades, 367
Review of *Mosses of Singapore and Malaysia* by A. Johnson, 371
Two new mosses from Tanzania, 695
Townsend, C. C., *see also* Ando, H. and Long, D. G.
*Trichostomopsis australasiae* (Hook. & Grev.) Robins., 528
*T. umbrosa* (C. Müll.) Robins., 528
*Trichostomum crispulum* Bruch, 530
*Tylimanthus aetiopica* S. Arnell, 317
*T. ruwenzoris* S. Arnell, 317

Udar, R. and Awasthi, U. S., Observations on *Archilejeunea apiculifolia* St. from India, 709
Udar, R. and Singh, D. K., A new species of the genus *Notothylas* Sull., *N. himalayensis* Udar et Singh, from India, 451
*Uleobryum peruvianum* Broth., 29

Verma, S. R. and Kumar, S. S., Cytological observations on some West Himalayan mosses, V, 343
*Viridivellus* Stone, 241
Vitt, D. H., The nomenclature and taxonomy of *Macrocoma lycopodioides* (Schwaegr.) Vitt, 219
Volemitol in leafy liverworts, 162

Wang, Y. -F., *see* Hu, R. -L.
*Wardia hygrometrica*, dehiscence, 96
Watson, E. V., review of *The mosses of North America* ed. by R. J. Taylor and A. E. Leviton, 853
*Weissia* subgenus *Astomum* in Australia and some comments on the affinities of *Viridivellus*, I. G. Stone, 231
**W. austro-crispa* (Beck.) Stone, comb, nov., 236
**W. brachycarpa* (Nees & Hornsch.) Jur. var. *obliqua* (Nees & Hornsch.) M. O. Hill, comb. et stat. nov., 601
**W. brachypoma* C. C. Townsend, sp. nov., 695
*W. crispa*, 353
*W. levieri* (Limpr.) Kindb., 529
*W. longifolia* Mitt., 529
*W. novae-valesiae* (Broth. ex Roth), 236
**W. perpusilla* (C. Müll.) Stone, comb. nov., 231
**W. triumphans* (De Not). M. O. Hill, comb. nov., 600
**W. willisiana* (Sainsbury) Stone, comb. nov., 235
Whitehouse, H. L. K.:
Review of *Bryophyte Systematics* ed. by G. C. S. Clarke and J. G. Duckett, 369
The production of protonemal gemmae by mosses growing in deep shade, 133
*Wiesnerella denudata* (Mitt.) Steph., 332
Wilmot-Dear, C. M., A study of regeneration from leaves in some sepcies of *Pogonatum* and *Polytrichum*, 145

*Zygodon baumgartneri* Malta, 533
*Z. viridissimus* (Dicks.) R. Br., 533